

Table for application of balancing granulate (powder) in g/ml

Tyre dimension		Amount of granulate (g / ml)	Tyre dimension		Amount of granulate (g / ml)
RADIAL			RADIAL		
Tyre profile 40			Tyre profile 70		
445/40	R22,5	500 g / 330 ml	195/70	R17,5	100 g / 65 ml
Tyre profile 45			215/70	R17,5	100 g / 65 ml
355/45	R17,5	350 g / 230 ml	235/70	R17,5	100 g / 65 ml
445/45	R19,5	500 g / 330 ml	245/70	R17,5	200 g / 130 ml
415/45	R22,5	500 g / 330 ml	265/70	R17,5	200 g / 130 ml
435/45	R22,5	500 g / 330 ml	225/70	R19,5	200 g / 130 ml
455/45	R22,5	500 g / 330 ml	245/70	R19,5	200 g / 130 ml
495/45	R22,5	500 g / 330 ml	265/70	R19,5	300 g / 200 ml
Tyre profile 50			275/70	R19,5	300 g / 200 ml
435/50	R19,5	500 g / 330 ml	285/70	R19,5	300 g / 200 ml
355/50	R22,5	500 g / 330 ml	305/70	R19,5	350 g / 230 ml
435/50	R22,5	600 g / 400 ml	605/70	R20,5	500 g / 330 ml
445/50	R22,5	500 g / 330 ml	235/70	R22,5	200 g / 130 ml
Tyre profile 55			255/70	R22,5	300 g / 200 ml
385/55	R19,5	500 g / 330 ml	265/70	R22,5	300 g / 200 ml
425/55	R19,5	500 g / 330 ml	275/70	R22,5	300 g / 200 ml
385/55	R22,5	500 g / 330 ml	305/70	R22,5	300 g / 200 ml
455/55	R22,5	600 g / 400 ml	315/70	R22,5	300 g / 200 ml
Tyre profile 60			365/70	R22,5	350 g / 230 ml
265/60	R22,5	300 g / 200 ml	445/70	R24	600 g / 400 ml
285/60	R22,5	300 g / 200 ml	495/70	R24	800 g / 530 ml
295/60	R22,5	300 g / 200 ml	Tyre profile 75		
305/60	R22,5	350 g / 230 ml	205/75	R17,5	100 g / 65 ml
315/60	R22,5	350 g / 230 ml	215/75	R17,5	100 g / 65 ml
Tyre profile 65			225/75	R17,5	200 g / 130 ml
205/65	R17,5	100 g / 65 ml	235/75	R17,5	200 g / 130 ml
245/65	R19,5	200 g / 130 ml	245/75	R17,5	200 g / 130 ml
385/65	R19,5	500 g / 330 ml	295/75	R22,5	300 g / 200 ml
445/65	R19,5	500 g / 330 ml	315/75	R22,5	300 g / 200 ml
385/65	R22,5	500 g / 330 ml	345/75	R22,5	350 g / 230 ml
425/65	R22,5	500 g / 330 ml	350/75	R22,5	350 g / 230 ml
445/65	R22,5	500 g / 330 ml	445/75	R22,5	600 g / 400 ml
525/65	R20,5	500 g / 330 ml	285/75	R24,5	300 g / 200 ml
615/65	R20,5	600 g / 400 ml	305/75	R24,5	350 g / 230 ml
			315/75	R24,5	500 g / 330 ml
			Tyre profile 80		
			205/80	R17,5	100 g / 65 ml
			225/80	R17,5	100 g / 65 ml
			275/80	R22,5	300 g / 200 ml
			295/80	R22,5	350 g / 230 ml
			315/80	R22,5	500 g / 330 ml

Table for application of balancing granulate (powder) in g/ml

Tyre dimension	Amount of granulate (g / ml)
DIAGONAL	
17"	
6.50-17	100 g / 65 ml
7.50-17	100 g / 65 ml
8.25-17	100 g / 65 ml
17,5"	
8 -17,5	100 g / 65 ml
8.5-17,5	200 g / 130 ml
9-17,5	200 g / 130 ml
9.5-17,5	200 g / 130 ml
10-17,5	200 g / 130 ml
11-17,5	200 g / 130 ml
19,5"	
8-19,5	200 g / 130 ml
9-19,5	300 g / 200 ml
10-19,5	350 g / 230 ml
20"	
7.50-20	200 g / 130 ml
8.25-20	200 g / 130 ml
9.00-20	300 g / 200 ml
10.00-20	300 g / 200 ml
11.00-20	350 g / 230 ml
12.00-20	350 g / 230 ml
13.00-20	350 g / 230 ml
22,5"	
9-22,5	300 g / 200 ml
10-22,5	300 g / 200 ml
11-22,5	300 g / 200 ml
12-22,5	350 g / 230 ml
13-22,5	500 g / 330 ml
15-22,5	600 g / 400 ml
16.5-22,5	600 g / 400 ml
18-22,5	600 g / 400 ml
24"	
11-24	350 g / 230 ml
12-24	500 g / 330 ml
14-24	600 g / 400 ml
24,5"	
11-24,5	350 g / 230 ml
12-24,5	500 g / 330 ml

Tyre size:

for widths up to 225 mm and diameters up to R17C

Amount of granulate: 100 g / 65 ml

Tyre size:

for widths up to 225 mm and diameters up to R17C

Amount of granulate: 200 g / 130 ml

Passenger, van, light truck tyres:

discs up to diameter 14": 20 -25 g = 13 - 16 ml

discs up to diameter 15": 40 -50 g = 26 - 32 ml

discs up to diameter 16": 65 -75 g = 43 - 50 ml

discs up to diameter 17": 90 -105 g = 60 - 70 ml

discs up to diameter 18": 110 -125 g = 73 - 82 ml